

Konstrukcijski beton

Dodatno SikaSwell® S-2, ali SikaFuko®
(glede na zahteve, še posebej je priporočljiva uporaba SikaFuko® za pilotne glave pod natezno obremenitvijo)

Aplikacija traku SikaProof® Tape A+
po obsegu pilotne glave

Zaključno tesnjenje s primerno epoksidno maso Sikadur®

Membrana SikaProof® A+

Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A10_2009_en_Sl_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34







www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A_2009_P01/02_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST




DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION


The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.




- Aplikacija traku SikaProof® Tape A+ po obsegu pilotne glave
- Zaključno tesnjenje s primerno epoksidno maso Sikadur®
- Membrana SikaProof® A+
- Podlaga
- Zemljina



- Konstruktivski beton
- Dodatno SikaSwell® S-2, ali SikaFuko® (glede na zahteve, še posebej je priporočljiva uporaba SikaFuko® za pilotne glave pod natezno obremenitvijo)
- Aplikacija traku SikaProof® Tape A+ po obsegu pilotne glave
- Zaključno tesnjenje s primerno epoksidno maso Sikadur®
- Membrana SikaProof® A+
- Podlaga
- Zemljina



- Dodatno SikaSwell® S-2, ali SikaFuko® (glede na zahteve, še posebej je priporočljiva uporaba SikaFuko® za pilotne glave pod natezno obremenitvijo)
- Aplikacija traku SikaProof® Tape A+ po obsegu pilotne glave
- Zaključno tesnjenje s primerno epoksidno maso Sikadur®
- Membrana SikaProof® A+
- Podlaga
- Zemljina



- Dodatno SikaSwell® S-2, ali SikaFuko® (glede na zahteve, še posebej je priporočljiva uporaba SikaFuko® za pilotne glave pod natezno obremenitvijo)
- Aplikacija traku SikaProof® Tape A+ po obsegu pilotne glave
- Zaključno tesnjenje s primerno epoksidno maso Sikadur®
- Membrana SikaProof® A+
- Podlaga
- Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A_2009_P02/02_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

[Splošne Sika informacije](#)

930_020704_0406A1_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

[Splošne Sika informacije](#)

930_020704_0406A2_2009_en_sl_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



SikaProof® Fix Tape-50 za pritrditev membrane na podlago

Podlaga

Zemljina

930_020704_0406A3_2009_en_Sl_10_2020

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A3_2009_en_Sl_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Membrana SikaProof® A+

Podlaga

Zemljina

930_020704_0406A4_2009_en_SL_10_2020

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A4_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Izravnavo s SikaGrout® ali vodotesnim betonom

Membrana SikaProof® A+

Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A5_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Zaključno tesnjenje s primerno epoksidno maso Sikadur®

Membrana SikaProof® A+

Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A6_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Aplikacija traku SikaProof® Tape A+ po obsegu pilotne glave

Zaključno tesnjenje s primerno epoksidno maso Sikadur®

Membrana SikaProof® A+

Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A7_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Dodatno SikaSwell® S-2, ali SikaFuko®
(glede na zahteve, še posebej je
priporočljiva uporaba SikaFuko® za
pilotne glave pod natezno
obremenitvijo)

Aplikacija traku SikaProof® Tape A+
po obsegu pilotne glave

Zaključno tesnjenje s primerno
epoksidno maso Sikadur®

Membrana SikaProof® A+

Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A8_2009_en_Sl_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A9_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Konstrukcijski beton

Dodatno SikaSwell® S-2, ali SikaFuko®
(glede na zahteve, še posebej je priporočljiva uporaba SikaFuko® za pilotne glave pod natezno obremenitvijo)

Aplikacija traku SikaProof® Tape A+
po obsegu pilotne glave

Zaključno tesnjenje s primerno epoksidno maso Sikadur®

Membrana SikaProof® A+

Podlaga

Zemljina

SikaProof® A+ - TESNENJE PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A10_2009_en_Sl_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34


www.sika.si

BUILDING TRUST



DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



SikaProof® A+ - TESNjenje PILOTNE GLAVE

Z izravnavo in s SikaProof® Tape A+

Splošne Sika informacije

930_020704_0406A_2009_en_SL_10_2020
October 2020

Sika d.o.o.

Prevale 13

1236 Trzin

Slovenija

Tel: +386 (0)1 580 95 34

www.sika.si

DRAWING MUST ALWAYS BE REVIEWED BY A DESIGN SPECIALIST AND IF NECESSARY MODIFIED TO ENSURE SUITABILITY FOR THE SPECIFIC APPLICATION

The information contained herein and any other advice are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. The information only applies to the application(s) and product(s) expressly referred to herein and is based on laboratory tests which do not replace practical tests. In case of changes in the parameters of the application, such as changes in substrates etc., or in case of a different application, consult Sika's Technical Service prior to using Sika products. The information contained herein does not relieve the user of the products from testing them for the intended application and purpose. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

BUILDING TRUST

